




Published on SOAR (<http://www.ctio.noirlab.edu/soar>)

[Home](#) > [SOAR Adaptive Optics Module \(SAM\)](#) > [SAM-FP](#) > Filters for SAM-FP

Filters for SAM-FP

Here is the list of filters available to use with one of the two Fabry-Perots. The filters have to be specified in the Instrument Setup Form ideally one week before the observing run since they may be in use in another instrument or even telescope.

B
T
E
R
R
B
S
S
S
A
A
/ 1
7

B
T
6
B
B
B
B
B
A
A
2
0

B
T
6
B
B
B
9
A
A
2
0

B
T
6
B
B
B
B
A
A
2
0

B
T
F
B
B
B
B
A
/
3
8

S
A
M
B
B
B
A
A
o
a
d

S
A
M
I
l
B
Z
B
A
B
r
o
a
d
S
A
M
I
l
B
Z
B
B
A
a
r
r
o
w
S
A
M
I
l
S
M
B
B
M
A
e
d
i
u
m

S A M I [B B B A A a r r o w

We have also filters from LAM (Laboratoire d'Astrophysique du Marseille, France) and we may add information about these filters very soon.

The astronomer can also request any other filter listed in the [Filters Available at SOAR](#) ^[1] page. CTIO filters are also available. The main constrain is that the filters may be 3 x 3 inches squared or round with 3 inches diameter.

Source URL: <http://www.ctio.noirlab.edu/soar/content/filters-sam-fp>

Links

[1] <http://www.ctio.noirlab.edu/soar/content/filters-available-soar>